

SAFETY DATA SHEETS

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Sixth revised edition

Version: 1.0
Creation Date: Nov. 7, 2018
Revision Date: Nov. 7, 2018

1. Identification

1.1 GHS Product identifier

Product name CFS-973, Hexamethyldisilazane

1.2 Other means of identification

Product number CFS-973

Other names SILAZANE HMN; ts18802; HEXAMETHYLSILAZNE

1.3 Recommended use of the chemical and restrictions on use

Identified uses Only for Industrial Use

Uses advised against no data available

1.4 Supplier's details

Company Hubei Co-Formula Material Tech Co.,Ltd.

Address C1420-1421, Longyang Avenue, Wuhan 430056, Hubei, China

Telephone +86-27-84459282

Fax +86-27-84459282

1.5 Emergency phone number

Emergency phone number +86-27-84459282

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

2. Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 2

Acute toxicity - Oral, Category 4


Acute toxicity - Dermal, Category 3

Acute toxicity - Inhalation, Category 4

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed

H311 Toxic in contact with skin

H332 Harmful if inhaled

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response

P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P370+P378 In case of fire: Use ... to extinguish.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/...if you feel unwell.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of water/...
P312 Call a POISON CENTER/doctor/...if you feel unwell.
P321 Specific treatment (see ... on this label).
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Storage**Disposal**

2.3 Other hazards which do not result in classification

no data available

3. Composition/information on ingredients

3.1 Substances

| Chemical name | Common names and synonyms | CAS number | EC number | Concentration |
|----------------------------------|---------------------------|------------|-----------|---------------|
| 1,1,1,3,3,3-hexamethyldisilazane | Hexamethyldisilazane | 999-97-3 | 213-668-5 | > 99% |

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Medical attention is required. Consult a doctor. Show this safety data sheet (SDS) to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

no data available

4.3 Indication of immediate medical attention and special treatment needed, if necessary

no data available

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

5.2 Specific hazards arising from the chemical

no data available

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7. Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

| | | |
|-----------|---------------------------|--------------------------|
| Component | Hexamethyldisilazane | |
| CAS No. | 999-97-3 | |
| | Limit value - Eight hours | Limit value - Short term |

| | | | | |
|------------------|----------------------|-------------------------|------------|-------------------------|
| Component | Hexamethyldisilazane | | | |
| CAS No. | 999-97-3 | | | |
| | ppm | mg/m³ | ppm | mg/m³ |
| Latvia | | 2 | | |
| | Remarks | | | |

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state

Colour Colourless.

Odour Ammonia-like odor

Melting point/ freezing point -76.2 °C. Atm. press.:1 013 hPa.

Boiling point or initial 125 °C. Atm. press.:1 013 hPa.

boiling point and boiling range

Flammability no data available

Lower and upper explosion limit / flammability limit no data available

Flash point 11.4 °C. Atm. press.:1 013 hPa.

Auto-ignition temperature 331 °C. Atm. press.:1 013 hPa.

Decomposition temperature no data available

pH no data available

Kinematic viscosity kinematic viscosity (in mm²/s) = 0.9. Temperature:20°C.
Remarks:Quoted in source as 0.9 centistokes.

Solubility Soluble in acetone, benzene, ethyl ether, heptane, perchloroethylene

Partition coefficient n-octanol/water log Pow = 1.19. Temperature:25 °C.

Vapour pressure 1 900 Pa. Temperature:20 °C.;2 400 Pa. Temperature:25 °C.;7 400 Pa. Temperature:50 °C.

Density and/or relative density 0.77. Temperature:20 °C.

Relative vapour density no data available

Particle characteristics no data available

10. Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Measurements of the autoignition temperatures for several series of mono-, di-, tri- and tetra-alkylsilanes showed that the ease of oxidation decrease with increasing substitution.
/Hexamethylsilazane is an/ easily ignited or pyrophoric compound.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

11. Toxicological information

Acute toxicity

- Oral: LD50 - rat (male/female) - 1.1 mL/kg bw.
- Inhalation: LC50 - rat (male/female) - 1 516 ppm.
- Dermal: LD50 - rabbit (male/female) - 547 - 589 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - Oncorhynchus gorbuscha - 0.083 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - 186 mg/L - 48 h.
- Toxicity to algae: EC50 - Pseudokirchneriella subcapitata (previous names: Raphidocelis

subcapitata, Selenastrum capricornutum) - 555 mg/L - 72 h.

- Toxicity to microorganisms: EC50 - activated sludge - 6 670 mg/L. Remarks:Respiration rate.

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

An estimated BCF of 21 was calculated for hexamethyldisilazane(SRC), using an estimated log Kow of 2.6(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc for hexamethyldisilazane can be estimated to be 390(SRC). According to a classification scheme(2), this estimated Koc value suggests that hexamethyldisilazane is expected to have moderate mobility in soil. The pKa of hexamethyldisilazane is 7.55(3), indicating that this compound will partially exist exist in cation form in the environment and cations generally adsorb more strongly to organic carbon and clay than their neutral counterparts(4).

12.5 Other adverse effects

no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: UN1992

IMDG: UN1992

IATA: UN1992

14.2 UN Proper Shipping Name

ADR/RID: FLAMMABLE LIQUID, TOXIC, N.O.S.

IMDG: FLAMMABLE LIQUID, TOXIC, N.O.S.

IATA: FLAMMABLE LIQUID, TOXIC, N.O.S.

14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

14.4 Packing group, if applicable

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

| Chemical name | Common names and synonyms | CAS number | EC number |
|---|---------------------------|------------|-------------|
| 1,1,1,3,3,3-hexamethyldisilazane | Hexamethyldisilazane | 999-97-3 | 213-668-5 |
| European Inventory of Existing Commercial Chemical Substances (EINECS) | | | Not Listed. |
| EC Inventory | | | Not Listed. |
| United States Toxic Substances Control Act (TSCA) Inventory | | | Not Listed. |
| China Catalog of Hazardous chemicals 2015 | | | Not Listed. |
| New Zealand Inventory of Chemicals (NZIoC) | | | Not Listed. |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) | | | Not Listed. |
| Vietnam National Chemical Inventory | | | Not Listed. |
| Chinese Chemical Inventory of Existing Chemical Substances (China IECSC) | | | Not Listed. |

16. Other information

Information on revision

Creation Date Nov. 7, 2018

Revision Date Nov. 7, 2018

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.

